



An ISO 9001 : 2015, 17020 Company  
Approved by PNGRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

(भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)  
**CERTIFICATION ENGINEERS INTERNATIONAL LTD.**

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC, Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in  
Regd. Office : Engineers India Bhawan, 1, Bhikaiji Cama Place, R. K. Puram, New Delhi-110 066. Tel.: 91-11-26762121, 2610 1265  
Fax : 91-11-2616 4868, 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

## INSPECTION CERTIFICATE / RELEASE NOTE

**CERTIFICATE NO** : CEIL/9508/SK4/0013 **DATE** : 04/04/2018  
**PROJECT** : ----- **PLACE OF ISSUE** : Mumbai  
**CLIENT** : Esteem Projects Private Ltd. **CUSTOMER** : CSA FITTINGS  
**CONTRACTOR** : ----- **JOB NO** : 9508  
**VENDOR/SUB-VENDOR** : CSA Fitting / - **LOCATION** : Taloja  
**PURCHASE ORDER NO** : EPL-212-PO-899 Amd:0 **DATE OF PO** : 26/12/2017

| PO SR. NO | ITEM DESCRIPTION                                        | UNIT | QUANTITY   |         |          |
|-----------|---------------------------------------------------------|------|------------|---------|----------|
|           |                                                         |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 1-1/2" 3000# NPT HALF COUPLING A105 B16.11(HEAT NO:941) | Nos  | 2          | 2       | 2        |
| 2         | 1-1/2" 3000# NPT PLUG A105 B16.11 (HEAT NO:941)         | Nos  | 2          | 2       | 2        |

### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. CEIL Inspection Report No. CEIL/9508/SK/009 Dtd. 29/03/2018
3. QAP No.CSAF/ESTEEM/473 Dtd.18/11/2017

### TEST WITNESSED:

1. PMI checked at random (10%)
2. Visual and Dimensional Checked at random (10%)

### DOCUMENTS REVIEWED:


1. Heat treatment chart
2. Manufacturer's Test Certificate
3. material test certificate
4. Verification of Calibration Report

**OBSERVATIONS/REMARKS** : ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"

**ORDER STATUS** : Complete

**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 02/04/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R.

THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT FREEDOM TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ASSUME NEW FROM OBLIGATIONS AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. CEIL WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLECT OR DEFECT IN MATERIALS EQUIPMENT.



An ISO 9001 : 2015, 17020 Company  
Approved by PNRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

## (भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)

### CERTIFICATION ENGINEERS INTERNATIONAL LTD.

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC, Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in

Regd. Office: Engineers India Bhawan, 1, Bhikaiji Cama Place, R. K. Puram, New Delhi-110 066. Tel.: 91-11-26762121. 2610 1265  
Fax : 91-11-2616 4868, 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

### INSPECTION CERTIFICATE / RELEASE NOTE

|                   |                                |                |                |
|-------------------|--------------------------------|----------------|----------------|
| CERTIFICATE NO    | : CEIL/9508/SK4/0014           | DATE           | : 04/04/2018   |
| PROJECT           | : ----                         | PLACE OF ISSUE | : Mumbai       |
| CLIENT            | : Esteem Projects Private Ltd. | CUSTOMER       | : CSA FITTINGS |
| CONTRACTOR        | : -----                        | JOB NO         | : 9508         |
| VENDOR/SUB-VENDOR | : CSA Fitting / -              | LOCATION       | : Taloja       |
| PURCHASE ORDER NO | : EPL-212-PO-791 Amd:0         | DATE OF PO     | : 15/11/2017   |

| PO SR.<br>NO | ITEM DESCRIPTION                      | UNIT | QUANTITY   |         |          |
|--------------|---------------------------------------|------|------------|---------|----------|
|              |                                       |      | AS PER P.O | OFFERED | RELEASED |
|              | FITTINGS<br>DETAILS AS PER ANNEXURE I |      |            |         |          |

#### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. CEIL Inspection Report No. CEIL/9508/SK/010 Dtd. 29/03/2017
3. QAP No.CSAF/ESTEEM/476 DTD.18/11/2017

#### TEST WITNESSED:

1. NDT Test (DPT) checked at random(10%)
2. PMI checked at random (10%)
3. Visual and Dimensional Checked at random (10%)

#### DOCUMENTS REVIEWED:


1. Heat treatment chart
2. Manufacturer's Test Certificate
3. material test certificate

**OBSERVATIONS/REMARKS :** ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"

**ORDER STATUS** : Complete

**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 02/04/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R.


THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT PREJUDICE TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ASSUME HIM FROM OBLIGATIONS AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. CEIL WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLIGENCE OR OPERATIONS AND OR ANY DEFECT IN MATERIALS EQUIPMENT.



An ISO 9001 : 2008 company

**ANNEXURE I TO IRN NO.:CEIL/9508/SK4/0014 DTD.04/04/2018**

| PO SR. NO | ITEM DESCRIPTION                                                     | UNIT | QUANTITY   |         |          |
|-----------|----------------------------------------------------------------------|------|------------|---------|----------|
|           |                                                                      |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 5" SCH-40 BW 180DEG. LR BEND A403 WP347H B16.9(HEAT NO:949)          | Nos  | 19         | 19      | 19       |
| 2         | 5" SCH-40 BW 180DEG. SR BEND A403 WP347H B16.9(HEAT NO:949)          | Nos  | 11         | 11      | 11       |
| 3         | 5" SCH-40 BW 90DEG. LR BEND A403 WP347H B16.9(HEAT NO:949)           | Nos  | 8          | 8       | 8        |
| 4         | 5" SCH-40 BW 90DEG. SR BEND A403 WP347H B16.9(HEAT NO:949)           | Nos  | 4          | 4       | 4        |
| 5         | 5" SCH-40 BW 45DEG. LR BEND A403 WP347H B16.9(HEAT NO:949)           | Nos  | 4          | 4       | 4        |
| 6         | 6"XS" SCH-40 BW CONC. REDUCER A403 WP347H B16.9(HEAT NO:949)         | Nos  | 2          | 2       | 2        |
| 7         | 5"X3" SCH-40/XS BW WELDOLET A182 F347H MSS SP-97(HEAT NO:951)        | Nos  | 4          | 4       | 4        |
| 8         | 5"X1-1/2" SCH-40/XXS BW CWELDOLET A182 F347H MSS SP-97 (HEAT NO:951) | Nos  | 4          | 4       | 4        |





An ISO 9001 : 2015, 17020 Company  
Approved by PNGRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

(भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)  
**CERTIFICATION ENGINEERS INTERNATIONAL LTD.**

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC, Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in  
Regd. Office: Engineers India Bhawan, I, Bhikaiji Cama Place, R. K. Puram, New Delhi-110 066. Tel.: 91-11-26762121, 2610 1265  
Fax : 91-11-2616 4868, 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

## INSPECTION CERTIFICATE / RELEASE NOTE

|                          |                                |                       |                |
|--------------------------|--------------------------------|-----------------------|----------------|
| <b>CERTIFICATE NO</b>    | : CEIL/9508/SK4/0015           | <b>DATE</b>           | : 04/04/2018   |
| <b>PROJECT</b>           | : ----                         | <b>PLACE OF ISSUE</b> | : Mumbai       |
| <b>CLIENT</b>            | : Esteem Projects Private Ltd. | <b>CUSTOMER</b>       | : CSA FITTINGS |
| <b>CONTRACTOR</b>        | : -----                        | <b>JOB NO</b>         | : 9508         |
| <b>VENDOR/SUB-VENDOR</b> | : CSA Fitting / -              | <b>LOCATION</b>       | : Taloja       |
| <b>PURCHASE ORDER NO</b> | : EPL-215-PO-867 Amd:0         | <b>DATE OF PO</b>     | : 15/11/2017   |

| PO SR. NO | ITEM DESCRIPTION                                                      | UNIT | QUANTITY   |         |          |
|-----------|-----------------------------------------------------------------------|------|------------|---------|----------|
|           |                                                                       |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 5"X1" SCH-40/160 BW WELDOLET A182 F316 MSS SP-97(HEAT NO:SSL/886)     | Nos  | 2          | 2       | 2        |
| 2         | 5"X1-1/2" SCH-40/160 BW WELDOLET A182 F316 MSS SP-97(HEAT NO:SSL/886) | Nos  | 2          | 2       | 2        |

### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. CEIL Inspection Report No. CEIL/9508/SK/010 Dtd.29/03/2018
3. QAP No.CSAF/ESTEEM/475 Dtd. 18/11/2017

### TEST WITNESSED:

1. NDT Test ( DPT ) checked at random(10%)
2. PMI checked at random (10%)
3. Visual and Dimensional Checked at random(10%)

### DOCUMENTS REVIEWED:


1. Heat treatment chart
2. Manufacturer's Test Certificate
3. material test certificate
4. Verification of Calibration Report

**OBSERVATIONS/REMARKS :** ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"

**ORDER STATUS** : Complete

**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 02/04/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R.

THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT PREJUDICE TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ABSOLVE HIM FROM OBLIGATIONS AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. THE USER WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLIGENCE OR OTHERWISE.



An ISO 9001 : 2015, 17020 Company  
Approved by PNRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

(भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)  
**CERTIFICATION ENGINEERS INTERNATIONAL LTD.**

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC, Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in  
Regd. Office : Engineers India Bhawan, 1, Bhikaiji Cama Place, R. K. Puram, New Delhi-110 066. Tel.: 91-11-26762121, 2610 1265  
Fax : 91-11-2616 4868, 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

## INSPECTION CERTIFICATE / RELEASE NOTE

|                          |                             |                       |                          |
|--------------------------|-----------------------------|-----------------------|--------------------------|
| <b>CERTIFICATE NO</b>    | : CEIL/9508/SK4/0016        | <b>DATE</b>           | : 04/04/2018             |
| <b>PROJECT</b>           | : ----                      | <b>PLACE OF ISSUE</b> | : Mumb                   |
| <b>CLIENT</b>            | : Esteem Projects Pvt. Ltd. | <b>CUSTOMER</b>       | : CSA FITTINGS           |
| <b>CONTRACTOR</b>        | : -----                     | <b>JOB NO</b>         | : 9508                   |
| <b>VENDOR/SUB-VENDOR</b> | : CSA Fitting / -           | <b>LOCATION</b>       | : Taloja                 |
| <b>PURCHASE ORDER NO</b> | : EPL-214-PO-906 Amd:0      | <b>DATE OF PO</b>     | : 26/12/2017, 26/12/2017 |

| PO SR. NO | ITEM DESCRIPTION                                             | UNIT | QUANTITY   |         |          |
|-----------|--------------------------------------------------------------|------|------------|---------|----------|
|           |                                                              |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 1-1/2" 3000# SW HALF COUPLING A105 B16.11(HEAT NO: 941)      | Nos  | 24         | 24      | 24       |
| 2         | 1-1/2" 3000# SW HALF COUPLING A182 F9 B16.11(HEAT NO:F9/602) | Nos  | 18         | 18      | 18       |
| 3         | 1-1/2" 3000# SW HALF COUPLING A105 B16.11(HEAT NO: 941)      | Nos  | 4          | 4       | 4        |
| 4         | 1-1/2" 3000# NPT PLUG A105 B16.11(HEAT NO: 941)              | Nos  | 4          | 4       | 4        |

### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. CEIL Inspection Report No. CEIL/9508/sk/009 Dtd. 29/03/2018
3. QAP No.CSAF/ESTEEM/473 Dtd. 18/11/2017

### TEST WITNESSED:


1. PMI checked at random (10%)
2. Visual and Dimensional Checked at random(10%)

### DOCUMENTS REVIEWED:

1. Heat treatment chart
2. Manufacturer's Test Certificate
3. material test certificate
4. Verification of Calibration Report

**OBSERVATIONS/REMARKS :** ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"  
**ORDER STATUS** : Complete  
**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 31/03/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R

THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT PREJUDICE TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ABSOLVE HIM FROM OBLIGATIONS AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. CEIL WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLIGENCE OR OTHERWISE.



An ISO 9001 : 2015, 17020 Company  
Approved by PNGRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

(भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)  
**CERTIFICATION ENGINEERS INTERNATIONAL LTD.**

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC. Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in  
Regd. Office: Engineers India Bhawan, 1, Bhikaiji Cama Place, R. K. Puram, New Delhi-110066. Tel.: 91-11-26762121. 2610 1265  
Fax : 91-11-2616 4868. 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

## INSPECTION CERTIFICATE / RELEASE NOTE

|                          |                                |                       |                |
|--------------------------|--------------------------------|-----------------------|----------------|
| <b>CERTIFICATE NO</b>    | : CEIL/9508/SK4/0017           | <b>DATE</b>           | : 04/04/2018   |
| <b>PROJECT</b>           | : -----                        | <b>PLACE OF ISSUE</b> | : Mumbai       |
| <b>CLIENT</b>            | : Esteem Projects Private Ltd. | <b>CUSTOMER</b>       | : CSA FITTINGS |
| <b>CONTRACTOR</b>        | : -----                        | <b>JOB NO</b>         | : 9508         |
| <b>VENDOR/SUB-VENDOR</b> | : CSA Fitting / -              | <b>LOCATION</b>       | : Talaja       |
| <b>PURCHASE ORDER NO</b> | : EPL-211-PO-805 Amd:0         | <b>DATE OF PO</b>     | : 15/11/2017   |

| PO SR. NO | ITEM DESCRIPTION                      | UNIT | QUANTITY   |         |          |
|-----------|---------------------------------------|------|------------|---------|----------|
|           |                                       |      | AS PER P.O | OFFERED | RELEASED |
|           | Fittings<br>DETAILS AS PER ANNEXURE I |      |            |         |          |

### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. QAP No.CSAF/ESTEEM/474 Dtd. 18/11/2017

### TEST WITNESSED:


1. NDT Test (DPT)checked at random(10%)
2. PMI checked at random(10%)
3. Visual and Dimensional Checked at random(10%)

### DOCUMENTS REVIEWED:

1. Heat treatment chart
2. Manufacturer's Test Certificate
3. material test certificate

**OBSERVATIONS/REMARKS :** ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"  
**ORDER STATUS** : Complete  
**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 31/03/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R-5


THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT LIABILITY TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ABSOLVE HIM FROM OBLIGATION AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. CEIL WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLIGENCE OPERATION AND OR ANY DEFECT IN MATERIALS EQUIPMENT.



An ISO 9001 : 2008 company

ANNEXURE I TO IRN NO.:CEIL/9508/SK4/0017 DTD.04/04/2018

| PO SR. NO | ITEM DESCRIPTION                                                       | UNIT | QUANTITY   |         |          |
|-----------|------------------------------------------------------------------------|------|------------|---------|----------|
|           |                                                                        |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 8"X6" SCH-40 BW CONC. REDUCER A403 WP321H B16.9(HEAT NO:SSS/952)       | Nos  | 6          | 6       | 6        |
| 2         | 8"X3" SCH-40/XS BW WELDOLET A182 F321H MSS-SP-97(HEAT NO:SSS/892)      | Nos  | 6          | 6       | 6        |
| 3         | 6"X3" SCH-40/XS BW WELDOLET A182 F321H MSS-SP-97(HEAT NO:SSS/892)      | Nos  | 6          | 6       | 6        |
| 4         | 6"X1-1/2" SCH-40/XXS BW WELDOLET A182 F321H MSS-SP-97(HEAT NO:SSS/892) | Nos  | 6          | 6       | 6        |
| 5         | 6"X1-1/2" SCH-40/XXS BW WELDOLET A182 F321H MSS-SP-97(HEAT NO:SSS/892) | Nos  | 6          | 6       | 6        |





An ISO 9001 : 2015, 17020 Company  
Approved by PNGRB & BEE, IBR

# सर्टिफिकेशन इंजीनियर्स इंटरनेशनल लिमिटेड

(भारत सरकार का उपक्रम, इंजीनियर्स इंडिया लिमिटेड की सहायक कम्पनी)

## CERTIFICATION ENGINEERS INTERNATIONAL LTD.

(A Govt. of India Undertaking, Subsidiary of EIL) CIN : U74899DL1994GOI062371

Head Office : D 101 - 106, First Floor, ITC, Tower No. 7, CBD Belapur Station Complex, Navi Mumbai - 400 614.  
Tel.: 91-22-6795 8700 • Fax : 91-22-6795 8701 / 2 • E-mail : ceilmby@vsnl.net / marketing@ceil.co.in  
Regd. Office : Engineers India Bhawan, 1, Bhikaiji Cama Place, R. K. Puram, New Delhi-110 066. Tel.: 91-11-26762121, 2610 1265  
Fax : 91-11-2616 4868, 6245 • Email : ceil.del@eil.co.in • Website : http://www.ceil.co.in

### INSPECTION CERTIFICATE / RELEASE NOTE

|                          |                             |                       |                |
|--------------------------|-----------------------------|-----------------------|----------------|
| <b>CERTIFICATE NO</b>    | : CEIL/9508/SK4/0018        | <b>DATE</b>           | : 04/04/2018   |
| <b>PROJECT</b>           | : ----                      | <b>PLACE OF ISSUE</b> | : Mumbai       |
| <b>CLIENT</b>            | : --                        | <b>CUSTOMER</b>       | : CSA FITTINGS |
| <b>CONTRACTOR</b>        | : Esteem Projects Pvt. Ltd. | <b>JOB NO</b>         | : 9508         |
| <b>VENDOR/SUB-VENDOR</b> | : CSA Fitting / -           | <b>LOCATION</b>       | : Taloja       |
| <b>PURCHASE ORDER NO</b> | : EPL-214-PO-776 Amd:1      | <b>DATE OF PO</b>     | : 24/11/2017   |

| PO SR.<br>NO | ITEM DESCRIPTION          | UNIT | QUANTITY   |         |          |
|--------------|---------------------------|------|------------|---------|----------|
|              |                           |      | AS PER P.O | OFFERED | RELEASED |
|              | DETAILS AS PER ANNEXURE I |      |            |         |          |

#### REFERENCE DOCUMENTS:

1. As per above mentioned PO.
2. CEIL Inspection Report No. CEIL/9508/sk/008 Dtd.29/03/2018
3. QAP No.CSAF/ESTEEM/473 Dtd.18/11/2017

#### TEST WITNESSED:

1. NDT Test ( DPT )at random (10%)
2. PMI checked at random (10%)
3. Visual and Dimensional Checked at random(10%)

#### DOCUMENTS REVIEWED:


1. Manufacturer's Test Certificate
2. Material Test report
3. Verification of Calibration Report

**OBSERVATIONS/REMARKS :** ABOVE ITEMS SATISFY ALL THE REQUIREMENT OF APPLICABLE PURCHASE SPECIFICATIONS STANDARDS CODES AND PURCHASE ORDER EXCEPT THE FOLLOWING PENDING ACTIVITIES : NIL

**IDENTIFICATION** : witnessed items single stamped as "CEI/237"

**ORDER STATUS** : Complete

**DATE(S) OF INSPECTION** : 29/03/2018 Date of Receipt Of Compliance 31/03/2018



Sujit Kumar  
SURVEYOR

DISTRIBUTION

A)Original To Vendor B)1 Copy Surveyor C)Copies CEIL Mumbai Or Delhi

File No.:

Original, Computer Generated

F-001 R

THIS INSPECTION CERTIFICATE IS ISSUED WITHOUT PREJUDICE TO CONTRACTUAL OBLIGATION OF THE SUPPLIER AND DOES NOT ABSOLVE HIM FROM OBLIGATIONS AND GUARANTEES SET FORTH IN PURCHASE ORDER DOCUMENTS. ONE WILL NOT BE LIABLE FOR ANY INJURY OR DAMAGE OR LOSS TO ANY PERSON OR PROPERTY DUE TO NEGLIGENCE OPERATION AND OR ANY DEFECT IN MATERIALS / EQUIPMENT



An ISO 9001 : 2008 company

**ANNEXURE I TO IRN NO.:CEIL/9508/SK4/0018 DTD.04/04/2018**

| PO SR. NO | ITEM DESCRIPTION                                                    | UNIT | QUANTITY   |         |          |
|-----------|---------------------------------------------------------------------|------|------------|---------|----------|
|           |                                                                     |      | AS PER P.O | OFFERED | RELEASED |
| 1         | 4" sch-40 BW 180 DEG. LR BEND A234 WP9 B16.9 (HEAT NO: P9/948)      | Nos  | 15         | 15      | 15       |
| 2         | 4" sch-40 BW 180 DEG. SR BEND A234 WP9 B16.9 (HEAT NO: P9/948)      | Nos  | 62         | 62      | 62       |
| 3         | 4" sch-40 BW 90 DEG. LR BEND A234 WP9 B16.9 (HEAT NO: P9/948)       | Nos  | 8          | 8       | 8        |
| 4         | 4" sch-40 BW 90 DEG. SR BEND A234 WP9 B16.9 (HEAT NO: P9/948)       | Nos  | 8          | 8       | 8        |
| 5         | 5" sch-40 BW 180 DEG. LR BEND A234 WPB B16.9 (HEAT NO: 950)         | Nos  | 15         | 15      | 15       |
| 6         | 5" sch-40 BW 180 DEG. SR BEND A234 WPB B16.9 (HEAT NO: 950)         | Nos  | 99         | 99      | 99       |
| 7         | 5" sch-40 BW 90 DEG. LR BEND A234 WPB B16.9 (HEAT NO: 950)          | Nos  | 32         | 32      | 32       |
| 8         | 5" sch-40 BW 90 DEG. SR BEND A234 WPB B16.9 (HEAT NO: 950)          | Nos  | 24         | 24      | 24       |
| 9         | 5" sch-40 BW 45 DEG. LR BEND A234 WPB B16.9 (HEAT NO: 950)          | Nos  | 10         | 10      | 10       |
| 10        | 6"X5" SCH-40 BW CONC. REDUCER A234 WPB B16.9(HEAT NO:950)           | Nos  | 8          | 8       | 8        |
| 11        | 4"X2" SCH-40/XS BW WELDOLET A182 F9 MSS SP-97 (HEAT NO:F9/602)      | Nos  | 4          | 4       | 4        |
| 12        | 4"X1-1/2" SCH-40/XXS BW WELDOLET A182 F9 MSS SP-97( HEAT NO:F9/602) | Nos  | 4          | 4       | 4        |
| 13        | 5"X3" SCH-40/XS BW WELDOLET A105 MSS SP-97(HEAT NO: 941)            | Nos  | 8          | 8       | 8        |
| 14        | 5"X1-1/2" SCH-40/XXS BW WELDOLET A105 MSS SP-97(HEAT NO: 941)       | Nos  | 8          | 8       | 8        |

